

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/680677	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:30
S2	6	US-4505033-\$.DID. OR US-3828114-\$.DID. OR US-4123618-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:30
S3	3	10/062679	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 16:44
S4	1164	(recess groove slot) with core with (bond attach adhere)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:29
S5	37	S4 and bushing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:14
S6	15	S5 and (housing shed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:02
S7	22	S5 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:07
S8	151	S4 and (housing shed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:14
S9	136	S8 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:14
S10	59453	"174"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:18
S11	2	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:15

S12	14	S4 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:18
S13	12	S12 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:18
S14	92605	(recess groove slot) with core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:20
S15	39731	(recess groove slot) near3 core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:20
S16	476	S15 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:20
S17	167	(recess groove slot) near3 core near3 (bond attach adhere)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:20
S18	2	S17 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:21
S19	1	S18 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:21
S20	298	(channel) with core with (bond attach adhere)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:31
S21	6	S20 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:30
S22	1723	(channel) with core with (bond\$3 attach\$3 adher\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:32

S23	8063	(channel recess groove slot) with core with (bond\$3 attach\$3 adher\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:33
S24	6899	S23 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:33
S25	112	S24 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:33
S26	8457	(notch channel recess groove slot) with core with (bond\$3 attach\$3 adher\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:33
S27	553015	(bushing insulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:33
S28	147347	(bushing insulator).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:34
S29	93	S28 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:34
S30	91	S29 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:34
S31	90	S30 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:36
S32	90	S31 and core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 17:36